# SAFETY DATA SHEET

Issuing Date 01-Mar-2016 Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Multi-Steam Spotter 501

Other means of identification

 Product Code
 631169

 Document
 631169CG1-4

Recommended use of the chemical and restrictions on use
Recommended use Emulsifier Degreaser

#### Details of the supplier of the safety data sheet

**Distributor**Multi-Steam
21 Marshall Street
Wallingford, CT 06492

Emergency telephone number

24 Hour Emergency Phone Number INFOTRAC: 1-352-323-3500 (INTERNATIONAL)

1-800-535-5053 (NORTH AMERICA)

Company Phone Number 1-888-708-1929

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Flammable liquids	Category 3

#### Label elements

## **Emergency Overview**

#### Danger

#### **Hazard Statements**

Causes skin irritation
Causes serious eye damage
Flammable liquid and vapor





Appearance Transparent Physical state Liquid Odor Citrus

#### **Precautionary Statements - Prevention**

- · Wash face, hands and any exposed skin thoroughly after handling
- Wear protective gloves/protective clothing/eye protection/face protection
- Keep away from heat/sparks/open flames/hot surfaces. No smoking
- Keep container tightly closed
- · Ground/bond container and receiving equipment
- Use explosion-proof electrical/ventilating/lighting/equipment
- · Use only non-sparking tools
- Take precautionary measures against static discharge

#### **Precautionary Statements - Response**

- Immediately call a POISON CENTER or doctor/physician
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If skin irritation occurs: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- · Wash contaminated clothing before reuse
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other information

- Harmful to aquatic life with long lasting effects
- · Toxic to aquatic life

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight-%	Trade Secret
Isopropyl alcohol	67-63-0	4% - 8%	*
Ammonium hydroxide	1336-21-6	1% - 5%	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## First aid measures for different exposure routes

**General advice** Show this safety data sheet to the doctor in attendance.

**Eye contact** Immediately flush eye with plenty of cool, running water. Remove contact lenses if

applicable, and continue flushing for at least 15 minutes, holding eyelids apart to ensure

thorough rinsing of the entire eye. GET IMMEDIATE MEDICAL ATTENTION.

**Skin contact** Wash with water for 5-10 minutes. Remove any contaminated clothing and wash before

reuse. If condition persist, Consult a physician.

**Inhalation** If qualified give oxygen or artificial respiration as needed.

Ingestion DO NOT induce vomiting. Give large amounts of water if victim is conscious. Never give

anything by mouth to an unconscious person. Get medical attention immediately.

Protection of First-aiders Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce

artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

#### Most important symptoms/effects, acute and delayed

Main Symptoms The most important known symptoms and effects are described in the labelling in section 2

and/or in section 11.

### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Alcohol-resistant foam.

Unsuitable Extinguishing Media This product contains alcohols which will reduce the effectiveness of normal foam. Use

alcohol-resistant foam instead.

#### Specific hazards arising from the chemical

No information available.

**Hazardous Combustion** 

**Products** 

If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrous oxides;

toxic vapors of amines and other organic materials.

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Avoid contact with skin, eyes and clothing. Use personal protective equipment. Ensure

adequate ventilation. Keep people away from and upwind of spill/leak.

Other information Common Weak Acids suitable for neutralizing caustic alkalis: acetic acid, citric acid, lemon

juice, tartaric acid, vinegar.

Environmental precautions

Environmental precautions Neutralization is normally necessary before waste water is discharged into water treatment

plants. Prevent entry into waterways, sewers, basements or confined areas. See Section 12

for additional Ecological Information.

#### Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain spill with inert material. Dike

around large spills. Do not use organic absorbents or incompatible materials. Neutralize

with mild acid.

**Methods for cleaning up**Mop up & flush neutralized material to sewer with plenty of water.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling KEEP OUT OF REACH OF CHILDREN. Keep away from heat, sparks and open flame. No

smoking. Do not eat, drink or smoke when using this product. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash

thoroughly after work using soap and water.

#### Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** 

conditions

Keep container in cool well ventilated area. Store away from incompatible materials. Keep out of the reach of children. Keep away from open flames, hot surfaces and sources of

ignition.

**Incompatible products** Strong oxidizing agents. Strong acids.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** Review Section 3 & 4 for Exposure Guidelines.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		_	TWA: 980 mg/m <sup>3</sup>
			STEL: 500 ppm
			STEL: 1225 mg/m <sup>3</sup>

#### Appropriate engineering controls

Engineering Measures Ensure that eyewash stations and safety showers or an equivalent method of

decontamination are close to the work location. Ensure adequate ventilation, especially in

confined areas

## Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Splash-proof chemical goggles or face shield.

**Skin and body protection** Wear appropriate chemical resistant clothing and chemical resistant gloves. Nitrile rubber.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene measures**Do not eat, drink or smoke when using this product. Practice good personal hygiene. Wash

after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

## Physical and chemical properties

Physical state Liquid

Appearance Transparent Odor Citrus

Color Colorless Odor Threshold No information available

Property Values Remarks • Methods

No information available

**pH** 12.2 +/- 0.3

Melting/freezing point No information available

Boiling point/boiling range ~ 100 °C / 212 °F Estimated
Flash Point ~ 42 °C / ~ 108 °F TCC
Evaporation rate About the same as water

Flammability (solid, gas)
Flammability Limits in Air

Upper flammability limitNo information availableLower flammability limitNo information available

Vapor pressure NE Vapor density NE

Specific Gravity $0.997 \pm 0.005$ Water solubilityCompletely soluble.Completely soluble.

Solubility in other solvents
Partition coefficient: n-octanol/water No information available
Autoignition temperature
Pecomposition temperature
Viscosity, kinematic
Viscosity, dynamic
Explosive properties
No information available

Other information

Softening point No information available Molecular Weight No information available

**VOC Content(%)** < 10 %

Density VALUE No information available Bulk Density VALUE No information available

## 10. STABILITY AND REACTIVITY

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Keep away from open flames, hot surfaces and sources of ignition.

## **Incompatible Materials**

Strong oxidizing agents. Strong acids.

## **Hazardous Decomposition Products**

If burned, normal combustion products: Carbon dioxide, Carbon monoxide; Nitrous oxides; toxic vapors of amines and other organic materials.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information Causes skin irritation Causes serious eye damage

Inhalation Irritating to respiratory system. Aspiration into lungs can produce severe lung damage. May

cause central nervous system depression with nausea, headache, dizziness, and

incoordination.

**Eye contact** Corrosive to the eyes and may cause severe damage including blindness.

**Skin contact** May be absorbed through the skin in harmful amounts. Irritating to skin.

Ingestion Causes gastrointestinal tract burns. Causes severe pain, nausea, vomiting, diarrhea, and

shock. May cause additional affects as listed under "Inhalation".

Chemical Name	Oral LD50	Dermal LD50	LC50 Inhalation
Isopropyl alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m <sup>3</sup> (Rat) 4 h
Ammonium hydroxide 1336-21-6	= 350 mg/kg ( Rat )	-	-

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization No information available. Mutagenic effects**No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

The strong acid process for manufacturing incorporate has been linked to an ingredent risk.

The strong acid process for manufacturing isopropanol has been linked to an increased risk of cancer by IARC and OSHA. However, IARC and OSHA have found no evidence that

isopropanol is carcinogenic to humans outside of that specific environment.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol	-	Group 3	=	=
67-63-0				

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans
OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

**Chronic toxicity** Prolonged exposure may cause chronic effects. Avoid repeated exposure.

Target Organ EffectsCentral nervous system.Aspiration hazardNo information available.

## Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 9068 mg/kg
ATEmix (dermal) 66107 mg/kg
ATEmix (inhalation-dust/mist) 101.8 mg/l

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0.88% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Isopropyl alcohol	1000: 96 h Desmodesmus	1400000: 96 h Lepomis macrochirus	13299: 48 h Daphnia magna mg/L
67-63-0	subspicatus mg/L EC50 1000: 72 h	μg/L LC50 11130: 96 h Pimephales	EC50
	Desmodesmus subspicatus mg/L	promelas mg/L LC50 static 9640: 96	
	EC50	h Pimephales promelas mg/L LC50	
		flow-through	
Ammonium hydroxide	-	8.2: 96 h Pimephales promelas	0.66: 48 h Daphnia pulex mg/L
1336-21-6		mg/L LC50	EC50 0.66: 48 h water flea mg/L
			EC50

#### Persistence and degradability

Product is biodegradable.

#### **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Isopropyl alcohol 67-63-0	0.05

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

**Waste treatment** 

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol 67-63-0	Toxic Ignitable
Ammonium hydroxide 1336-21-6	Toxic Corrosive

## 14. TRANSPORT INFORMATION

**DOT** Not regulated

Proper shipping name Cleaning Compound, Not Regulated

15. REGULATORY INFORMATI
--------------------------

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Isopropyl alcohol - 67-63-0	1.0
Ammonium hydroxide - 1336-21-6	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	Yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium hydroxide	1000 lb	-	-	X
1336-21-6				

## **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ammonium hydroxide 1336-21-6	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

#### U.S. State Regulations

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

This product contains substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	X	X	X
Ammonium hydroxide 1336-21-6	Х	X	X

### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION									
<u>NFPA</u>	Health Hazards	2	Flammability	2	Instability	0	Physical and chemical hazards COR		

HMIS Health hazard 2 Flammability 2 Physical Hazards 0 Personal protection X

**Prepared By** 

**Issuing date** 01-Mar-2016

Revision Date Revision Note

## **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**